




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : B42D 15/00, G07D 7/00	A1	(11) International Publication Number: WO 94/02329 (43) International Publication Date: 3 February 1994 (03.02.94)
(21) International Application Number: PCT/GB93/01386 (22) International Filing Date: 1 July 1993 (01.07.93) (30) Priority data: 9215828.6 24 July 1992 (24.07.92) GB (71) Applicant (for all designated States except US): PORTALS LIMITED [GB/GB]; Overton Mill, Overton, Basingstoke, Hampshire RG25 3JG (GB). (72) Inventors; and (75) Inventors/Applicants (for US only) : KNIGHT, Malcolm, Robert, Murray [GB/GB]; 10 St Michael's Close, North Waltham, Basingstoke, Hampshire RG25 2BP (GB). ISHERWOOD, Roland [GB/GB]; Pauls Heath College, Cole Henley, Whitchurch, Hampshire RG28 7QJ (GB). NELSON, Craig, Harvey [GB/GB]; 32 Merlmants Walk, Baldock, Herts SG7 6TJ (GB). ROCCA, Sarah, Anne [GB/GB]; 78 Thornton Road, Girton, Cambridge CB3 0NN (GB). GODFREY, Robin, Edward [GB/GB]; 7 Copse Hill, Welwyn, Herts AL6 0RY (GB).		(74) Agent: BOULT WADE TENNANT; 27 Furnival Street, London EC4A 1PQ (GB). (81) Designated States: BR, CA, FI, JP, KR, PL, RU, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published With international search report.
(54) Title: IMPROVEMENTS IN OR RELATING TO HIGH VALUE DOCUMENTS  (57) Abstract The present invention relates to means of identification or a document of value comprising a paper or polymer region, in particular, bank notes, passports, identification cards or any other document of sufficient value to make it liable to be copied or counterfeited, wherein a liquid crystal material has been applied to the region to produce optical effects which differ when viewed in transmitted and reflected light. The invention also relates to a method of producing such means of identification or a document of value and a method of verifying the authenticity of an identification means or a document of value.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	MR	Mauritania
AU	Australia	GA	Gabon	MW	Malawi
BB	Barbados	GB	United Kingdom	NE	Niger
BE	Belgium	GN	Guinea	NL	Netherlands
BF	Burkina Faso	GR	Greece	NO	Norway
BG	Bulgaria	HU	Hungary	NZ	New Zealand
BJ	Benin	IE	Ireland	PL	Poland
BR	Brazil	IT	Italy	PT	Portugal
BY	Belarus	JP	Japan	RO	Romania
CA	Canada	KP	Democratic People's Republic of Korea	RU	Russian Federation
CF	Central African Republic	KR	Republic of Korea	SD	Sudan
CG	Congo	KZ	Kazakhstan	SE	Sweden
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovak Republic
CM	Cameroon	LU	Luxembourg	SN	Senegal
CN	China	LV	Latvia	TD	Chad
CS	Czechoslovakia	MC	Monaco	TG	Togo
CZ	Czech Republic	MG	Madagascar	UA	Ukraine
DE	Germany	ML	Mali	US	United States of America
DK	Denmark	MN	Mongolia	UZ	Uzbekistan
ES	Spain			VN	Viet Nam
FI	Finland				

IMPROVEMENTS IN OR RELATING
TO HIGH VALUE DOCUMENTS

The present invention relates to a means of identification or a document of value comprising a paper or polymer region, in particular, bank notes, passports, identification cards or any other document of sufficient value to make it liable to be copied or counterfeited.

The increasing popularity of colour photocopiers and other imaging systems and the improving technical quality of colour photocopies has lead to an increase in the counterfeiting of bank notes, passports and identification cards, etc. There is, therefore, a need to add additional security features to the identification or document of value or to enhance the perceptions and resistance to simulation of existing features. Steps have already been taken to introduce optically variable features into such documentation which cannot be reproduced by a photocopier. There is thus a demand to introduce features which are discernable by the naked eye but "invisible" to, or viewed differently, by a photocopier. Since a photocopying process typically involves reflecting high energy light off an original document containing the image to be copied, one solution would be to incorporate one or more features into the document which have a different perception in reflected and transmitted light, an example being watermarks and enhancements thereof.

It is known that certain liquid crystal materials exhibit a difference in colour when viewed in transmission and reflection as well as an

angularly dependent coloured reflection.

Liquid crystal materials have been incorporated into documents, identification cards and other security elements with a view to creating distinctive optical characteristics. CA-A-2032587 is concerned with a data carrier, such as an identification card, which comprises a liquid crystal polymer layer or film in the data carrier. The liquid crystal polymer is in solid form at room temperature and is typically within a laminate structure. The intention is that the liquid crystal layer, which is applied to a black background, will demonstrate a high degree of colour purity in the reflected spectrum for all viewing angles. Automatic testing for verification of authenticity is described using the wavelength and polarisation properties of the reflected light in a single combined measurement. This has the disadvantage of being optically complex using a single absolute reflective measurement requiring a uniform liquid crystal area on a black background. AU-488,652 is also concerned with preventing counterfeit copies by introducing a distinctive optically-variable feature into a security element. This patent discloses the use of a liquid crystal "ink" laminated between two layers of plastic sheet. The liquid crystal is coated on a black background so that only the reflected wavelengths of light are seen as a colour. The patent is primarily concerned with the cholesteric class of liquid crystals which have the characteristic of changing colour with variation in temperature.

Cholesteric liquid crystals have certain unique properties in the chiral nematic phase. It is the chiral nematic phase which produces an angularly

dependent coloured reflection and a difference in colour when viewed in either transmission or reflection. Cholesteric liquid crystals form a helical structure which reflects circularly polarised light over a narrow band of wavelengths. The wavelength is a function of the pitch of the helical structure which is formed by alignment within the liquid crystal material. An example of such a structure is depicted in Figure 1 with the cholesteric helical axis in the direction of the arrow X. The reflection wavelength can be tuned by appropriate choice of chemical composition of the liquid crystal. The materials can be chosen to be temperature sensitive or insensitive. Both handednesses of circularly polarised light can be reflected by choice of the correct materials and thus high reflectivities at specific wavelengths can be achieved with double layers of liquid crystals. The wavelength of reflected light is also dependent on the angle of incidence, which results in a colour change perceived by the viewer as the device is tilted (Figure 2).

On a dark background, only the reflective effect is observed, since little light is being transmitted from behind. When the dark background is removed or not present and the device is viewed in transmission, the intensity of the transmitted colour swamps the reflective colour.

Of the light which is not reflected, a small proportion is absorbed and the remainder is transmitted through the liquid crystal material 3. When correctly configured, there is a dramatic change between the transmitted colour in the direction of arrow Y and reflected colour in the direction of arrow Z (Figure 3). The region on either side of the liquid crystal layer 3 in Figure 3 is a transparent

polymer or glass. To achieve this effect on a means of identification or a document of value the area of the document which is occupied by the liquid crystal must be transparent or translucent. The transmitted and reflected colours are complementary, for example, a green reflected colour produces a magenta transmitted colour. It is this characteristic of a liquid crystal material which the present invention seeks to utilise.

According to the present invention there is provided a means of identification or a document of value comprising a paper or polymer region, wherein a liquid crystal material has been applied to the region to produce optical effects which differ when viewed in transmitted and reflected light.

Preferably, the paper or polymer region includes a watermark.

Preferably, the watermark has variations in material density and/or thickness which produce variations in optical density.

Preferably, the liquid crystal material is located in or on the watermark.

In a preferred embodiment of the invention at least part of the paper or polymer region is embossed such that there is at least partial overlap between the embossed region and the region or regions of the paper or polymer on which a liquid crystal has been applied.

The watermark in a document or identification means provides a suitable area which can be enhanced by the application of a liquid crystal material. The change in colour according to viewing conditions, greatly enhances the public perception of the

watermark and this substantially enhances the overall security of the document and makes photoreproduction very difficult. However, it should be understood that the term "watermark" includes watermarks produced by the well known cylinder mould-made paper process as well as other processes. The term "watermark" also includes simulated watermarks produced by other means, for example, by printing or compression that produces a localised variation in optical density in a paper or polymer substrate.

Preferably, the liquid crystal material is in liquid form at room temperature.

One advantage of applying the liquid crystal material in a liquid form is that a printing process can be used to print the liquid crystal over the watermark in a vast number of varying designs.

Preferably, the liquid crystal material is enclosed with a containing means.

Preferably, the containing means are microcapsules.

Preferably, the containing means is a laminate structure.

Preferably, the containing means is a honeycombed structure.

Preferably, the containing means is a polymer film comprising a plurality of voids.

Preferably, the containing means are hollow polymer fibres.

Preferably, the liquid crystal material is a solid at room temperature.

Preferably, the identification means/document comprises a laminate, one layer of which comprises the paper or polymer region.

One advantage of the liquid crystal material in solid form is that it can be applied by a transfer process to form a laminate structure with the paper or polymer region.

Preferably, the colour of the light reflected from the region is the complement of the colour of the light transmitted through the region.

Preferably, the paper has been partially transparentised or the polymer is transparent or translucent at least in the area over which the liquid crystal is applied.

Preferably, the liquid crystal region has a pattern of areas of left-handed and right-handed liquid crystal forms.

In a further aspect, the present invention also provides a method of producing a means of identification or a document of value comprising the steps of incorporating a paper or polymer region in the identification means/document, wherein a liquid crystal material is then applied to the region to produce optical effects which differ when the region is viewed in transmission and reflection.

Preferably, the paper or polymer region

includes a watermark.

Preferably, the liquid crystal material is applied in a liquid form enclosed within a containing means.

Preferably, the liquid crystal material is applied to the region by a printing process.

Preferably, the liquid crystal material is applied in a solid form.

Preferably, the liquid crystal material is applied to the region by a transfer process.

Preferably, the paper has been partially transparentised or the polymer is transparent or translucent at least in the area over which the liquid crystal material is applied.

In a further aspect, the present invention provides a method of verifying the authenticity of a document or identification means incorporating a liquid crystal region by visual or machine inspection of the transmitted and reflected light from the liquid crystal region.

Preferably, light from a light source is transmitted through the liquid crystal region which light then passes through a colour filter, the spectral transmission and reflective properties of which are selected according to the maximum transmitted wavelength through the liquid crystal region, the light then being incident on a photodetector measuring the total transmitted intensity at the given wavelength, and the light

reflected from the liquid crystal region is passed through a colour filter, the spectral transmission and reflective properties of which are selected according to the maximum wavelength reflected from the liquid crystal region, the light then being incident on a photodetector measuring the total reflected intensity at the given wavelength.

This has the advantage of being optically simple and is a relative measurement comparing transmitted and reflected light. Due to the comparative nature of the measurement, inspection of small areas is possible, for example, those forming a pattern and the area for inspection can be over-printed if required.

The complementary nature of the colours, one component transmitted and one component reflected, enables direct comparison of the two component wavelength maxima, the wavelength maxima being specific to a given liquid crystal formulation. Such a comparison provides authentication of the document or identification means.

In a further aspect, the present invention provides a method of verifying the authenticity of an identification means or document of value which comprises a liquid crystal region having a pattern of areas of left-handed and right-handed liquid crystal forms by visual or machine inspection of the polarisation states of the areas.

Preferably, the polarisation states of the reflected light are inspected.

Preferably, a quarter-waveplate and a

polarising element are used to inspect the polarisation states.

Preferably, the visible colour of the left-handed and right-handed liquid crystal areas produce the same colours on transmission and the same complementary colours on reflection, the pattern being invisible to the unaided eye.

Preferably, the contrast of an area of liquid crystal changes when viewed with and then without the quarter-waveplate and polarising element.

Preferably, the pattern can be verified at high speed by machine inspection of the transmitted and/or reflected light.

A preferred embodiment of the present invention will now be described in detail, by way of example only, with reference to the accompanying drawings, of which:

Figure 1 depicts the chiral nematic alignment of a cholesteric liquid crystal material;

Figure 2 shows how the reflection from a cholesteric liquid crystal material varies with the angle of incidence;

Figure 3 depicts the transmission and reflection of light incident on a liquid crystal material;

Figure 4 demonstrates how a paper or polymer region coloured by a liquid crystal material would appear in transmission and reflection;

Figure 5a demonstrates how a monochrome watermark would appear in transmission and reflection;

Figure 5b demonstrates how a watermark coloured by a liquid crystal material, would appear in

transmission and reflection;

Figure 6 demonstrates how the transmitted and reflected wavelengths could be detected to provide a means of visual or machine inspection for authentication;

Figures 7, 8, 9 and 9a demonstrate how left-handed and right-handed polarisation states can be used in the present invention.

Figures 1, 2 and 3 have already been described in detail as background to the present invention.

Figure 4 depicts a paper or polymer region 1 of a document of value such as a bank note, cheque, postal order, passport, credit card, identification card, etc., which has been provided with a layer of liquid crystal 3. Light reflected at A at a given angle of observation will be coloured, for example, green, whereas light transmitted at B will be coloured at the complementary colour, magenta.

Figure 5a depicts a monochrome watermark in the paper region 1 of a document of value as described above. Should the card be a polymer material, a window in the polymer which comprises paper, could be incorporated in one area of the card. The watermark has regions of high and low optical density 2a, 2b owing to variations in the paper fibre distribution and thickness which produce the different toned effects in a typical monochrome watermark, for example, as one would see in a portrait watermark in a bank note. The light reflected from a low density region 2b will be low (A_1) whereas the light reflected from a high density region 2a will be high (A_2). In transmission, the low density region 2b will appear light (B_1) and the high density region

2a will appear dark (B_2). Thus, the effects in reflection and transmission are the negative of each other.

Figure 5b depicts a watermark 1 as in Figure 5a which has been provided with a layer of liquid crystal material 3. The light reflected from a low density region 2b in this case would be perceived as a dark green colour (C_1) whereas the light reflected from a high density region 2a would be perceived as a light green colour (C_2). In transmission, the colour of light will be the complement of the reflected light, i.e magenta. The low density region 2b will therefore appear light magenta (D_1) and the high density region 2a will appear dark magenta (D_2). The terms "light" and "dark" used here refer to the perception of light according to intensity, not according to wavelength variation.

Figure 6 shows a document or identification means containing a liquid crystal region 11. Light from an incandescent source 12 is incident on the liquid crystal region. A portion of the light is reflected from the region through an optical colour filter 13 chosen such that its maximum transmission wavelength is coincident with the maximum wavelength in the light reflected from the liquid crystal at the angle θ . The intensity of the reflected beam at this wavelength is measured by a detector 14.

A portion of the light from the source 12 is also transmitted through the liquid crystal region 11 and is incident on a second optical colour filter 15 chosen such that its maximum transmission wavelength is coincident with the maximum wavelength in the

light transmitted by the liquid crystal. The intensity of the transmitted beam at this wavelength is measured by a detector 16.

The signals from detectors 14 and 16 are used by a comparison system, visual or machine, to determine authenticity. Other optical arrangements, filter transmission characteristics and means of signal processing may be selected according to specific requirements for the authentication sensors.

Clearly, different colours of reflected light and transmitted light could be used by altering the liquid crystal material, but in each case the colour of transmitted light would be the complement of the reflected light.

Figure 7 shows a document or identification means containing a liquid crystal region in the form of a pattern, for example, a bar code. Figure 8 shows how alternate areas of the liquid crystal region contain left-handed and right-handed forms of liquid crystal. Figure 9 shows a quarter-waveplate 17 and a polarising element 18 and Figure 9a shows the image produced when these are used to view the liquid crystal area.

Liquid crystals can be produced with either left-handed or right-handed helical structures which produce the same colour in transmission and its complement on reflection. The pattern described would be invisible to the unaided eye, being visible only when viewed using a suitable detection system such as a quarter-waveplate and polarising element. Alternatively, the pattern would be visible to the unaided eye in the form of a coloured pattern but produce a contrast change when viewed using the

described optical elements. Other optical detection systems known in the art may be used according to specific requirements.

Such patterns can be viewed by the eye using specified optical elements or automatically using a photodetector. With an appropriate pattern design, a bar mark for instance, such automatic detection could be undertaken at high speed for machine verification uses.

Verification can be in reflection and/or transmission although for ease of use viewing is preferred in reflection.

An advantage of using liquid crystals with left and right-handed helical structures is that an otherwise invisible pattern, for example a logo or a crest, would become visible when viewed with the described optical elements.

An additional advantage of using such crystals and the apparatus described is that for machine verification it provides a complementary means of verification over and above that provided by colour filtration alone. Yet if the transmitted and reflected colour changes with time, for example due to surface accumulation of dirt, polarisation remains visible as an alternative authentication method.

The liquid crystal material could be incorporated in many other ways, for example, as a windowed thread. The thread could be formatted against a dark background at some points and a transparent background at other points. Such a thread would exhibit a transmission/reflection colour

difference at the transparent points and a strong angularly dependent reflected colour at the dark points.

In Figure 5b the liquid crystal material layer 3 is merely depicted as a layer applied to the watermark. The liquid crystal material could be applied in solid or liquid form to the watermarked paper depending on end requirements.

Liquid crystal materials in a liquid state must be held within a form of container if they are to withstand the production, printing and user environment experienced by the document or identification means. A number of liquid crystal materials exhibit the required chiral nematic phases such as cyano-biphenyls, cholesteryl esters, highly concentrated solutions of chiral molecules, e.g. polypeptides and cellulose and liquid crystal polymers such as polyorganosiloxanes. Of these examples, cyano-biphenyls and cholesteryl esters are in a viscous liquid state at room temperature and therefore, require a containing means.

Suitable forms of containing means would be, for example, the following:

- (a) microencapsulation (for example, in polyvinylalcohol);
- (b) lamination between polymer films;
- (c) honeycombed matrix;
- (d) voids in a polymer film;
- (e) hollow polymer fibres.

A requirement which must be satisfied by the containing means is that the optical path of the

length of the container or cells must be of the order of several microns (although this is dependent on the material) to ensure the optical effect is governed by the bulk material rather than by the specific surface effects of the individual containers or cells.

When the liquid crystal material is in a liquid form held within microcapsules, the liquid crystal could be applied to the region by a printing process since the low pressures used would not be sufficient to rupture the majority of the microcapsules. A printing process would be advantageous in that detailed designs could be applied over the watermark thus making reproduction even more difficult for a counterfeiter. Suitable printing processes could utilise, for example, but not exclusively, a gravure, roller, spray or ink jet.

A liquid crystal material held within a laminate or honeycombed structure would necessitate the use of a transfer process to produce a laminate over the watermark. Similarly, a liquid crystal polymer which is typically solid at room temperature would involve a transfer process. Examples of liquid crystal polymers are transesterfied poly (γ - benzyl L - glutamate) and polysiloxanes.

Documents or identification means comprising a paper or polymer region may be transparentised prior to applying the liquid crystal material to ensure that there will be sufficient transmission of light through the document or identification means such that the optical effects described herein are recognisable using the unaided eye. Transparentisation can be achieved chemically by adding a chemical which matches the refractive index

of the paper fibres, by treating certain areas of fibres differently at the manufacturing stage, by combining a polymer with the paper at the manufacturing stage and then heat treating the polymer or mechanically by using pressure or other known means.

With the present invention, machine readability of documents and cards could be improved by making the machine "read" both transmitted and reflected light thus putting the document/card on a higher security level.

The use of liquid crystal material may also be used to enhance the appearance of blind intaglio embossing. The embossing may extend, for example, over both plain paper or polymer and a region on which polymer liquid crystal has been applied, i.e. the production of raised regions in the paper or polymer by the known intaglio printing process except that no ink is applied to the intaglio cylinder and therefore there is no ink transferred to the embossed regions of the paper or polymer. By arranging for such regions of blind embossing to at least partially overlap the regions of paper or polymer on which the liquid crystal has been applied, the embossed regions are more apparent on visual inspection, thus enhancing their security value.

In a further embodiment, embossing of the paper or polymer in at least partial overlap with the liquid crystal may occur as part of the normal process of banknote printing; the regions coated with liquid crystal will then also be partially printed with intaglio ink.

Clearly, the present invention should not be limited to the specific embodiments described since it is envisaged that the use of liquid crystal materials in this way will have widespread uses in many industries which are adversely affected by counterfeiting in the manner described.

CLAIMS:

1. A means of identification or a document of value comprising a paper or polymer region, wherein a liquid crystal material has been applied to the region to produce optical effects which differ when viewed in transmitted and reflected light.
2. An identification means or document of value as claimed in Claim 1, wherein the paper or polymer region includes a watermark.
3. An identification means or document as claimed in Claim 2, wherein the watermark has variations in material density and/or thickness which produce variations in optical density.
4. An identification means or document of value as claimed in Claim 2 or Claim 3, wherein the liquid crystal material is located in or on the watermark.
5. An identification means or document of value as claimed in Claim 1, wherein at least part of the paper or polymer region is embossed such that there is at least partial overlap of the embossed and liquid crystal regions.
6. An identification means or document as claimed in any of the preceding Claims, wherein the liquid crystal material is in liquid form at room temperature.
7. An identification means or document as claimed in any of the preceding Claims, wherein the

liquid crystal material is enclosed within a containing means.

8. An identification means or document as claimed in Claim 7, wherein the containing means are microcapsules.

9. An identification means or document as claimed in Claim 7, wherein the containing means is a laminate structure.

10. An identification means or document as claimed in Claim 7, wherein the containing means is a honeycombed structure.

11. An identification means or document as claimed in Claim 7, wherein the containing means is a polymer film comprising a plurality of voids.

12. An identification means or document as claimed in Claim 7, wherein the containing means are hollow polymer fibres.

13. An identification means or document as claimed in any of Claims 1 to 5, wherein the liquid crystal material is a solid at room temperature.

14. An identification means or document as claimed in any preceding claim comprising a laminate, one layer of which comprises the paper or polymer region.

15. An identification means or document as claimed in any preceding claim, wherein the colour of the light reflected from the region is the complement of the colour of the light transmitted through the

region.

16. An identification means or document as claimed in any preceding claim, wherein the paper has been partially transparentised or the polymer is transparent or translucent at least in the area over which the liquid crystal is applied.

17. An identification means or document as claimed in any preceding claim, wherein the liquid crystal region has a pattern of areas of left-handed and right-handed liquid crystal forms.

18. A method of producing a means of identification or a document of value comprising the steps of incorporating a paper or polymer region in the identification means or document, wherein a liquid crystal material is then applied to the region to produce optical effects which differ when viewed in transmission and reflection.

19. A method as claimed in Claim 18, wherein the paper or polymer region includes a watermark.

20. A method as claimed in Claim 18 or Claim 19, wherein the liquid crystal material is applied in a liquid form enclosed within a containing means.

21. A method as claimed in Claim 20, wherein the liquid crystal material is applied to the watermark by a printing process.

22. A method as claimed in Claim 18 or Claim 19, wherein the liquid crystal material is applied in a solid form.

23. A method as claimed in Claim 22, wherein the liquid crystal material is applied to the watermark by a transfer process.

24. A method as claimed in any of Claims 18 to 23, wherein the paper has been partially transparentised or the polymer is transparent or translucent at least in the area over which the liquid crystal material is applied.

25. A method of verifying the authenticity of an identification means or a document of value which comprises a liquid crystal region, by visual or machine inspection of the transmitted and reflected light from the liquid crystal region.

26. A method as claimed in Claim 25, wherein light from a light source is transmitted through the liquid crystal region which light then passes through a colour filter, the spectral transmission and reflective properties of which are selected according to the maximum transmitted wavelength through the liquid crystal region, the light then being incident on a photodetector measuring the total transmitted intensity at the given wavelength, and wherein the light reflected from the liquid crystal region is passed through a colour filter, the spectral transmission and reflective properties of which are selected according to the maximum wavelength reflected from the liquid crystal region, the light then being incident on a photodetector measuring the total reflected intensity at the given wavelength.

27. A method of verifying the authenticity of an identification means or document of value as claimed in Claim 25, which comprises a liquid crystal

region having a pattern of areas of left-handed and right-handed liquid crystal forms by visual or machine inspection of the polarisation states of the areas.

28. A method as claimed in Claim 27, wherein the polarisation states of the reflected light are inspected.

29. A method as claimed in Claim 27 or Claim 28, wherein a quarter-waveplate and a polarising element are used to inspect the polarisation states.

30. A method as claimed in Claim 29, wherein the visible colour of the left-handed and right-handed liquid crystal areas produce the same colours on transmission and the same complementary colours on reflection, the pattern being invisible to the unaided eye.

31. A method as claimed in Claim 29 or Claim 30, wherein the contrast of an area of liquid crystal changes when viewed with and then without the quarter-waveplate and polarising element.


32. A method as claimed in any of Claims 27 to 31, wherein the pattern can be verified at high speed by machine inspection of the transmitted and/or reflected light.

33. A means of identification or a document of value substantially as herein described with reference to the accompanying drawings.

34. A method of producing a means of identification or a document of value substantially as herein described with reference to the accompanying drawings.


1/5



FIG. 1.



2/5

FIG. 2.






4/5
FIG. 5a.

FIG. 5b.





FIG. 6.



5/5

FIG. 7.





FIG. 8.




FIG. 9.





FIG. 9a.



INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 93/01386

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) ⁶		
According to International Patent Classification (IPC) or to both National Classification and IPC		
Int.Cl. 5 B42D15/00; G07D7/00		
II. FIELDS SEARCHED		
Minimum Documentation Searched ⁷		
Classification System	Classification Symbols	
Int.Cl. 5	B42D ; G07D	
Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ⁸		
III. DOCUMENTS CONSIDERED TO BE RELEVANT⁹		
Category ¹⁰	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³
X	EP,A,0 435 029 (GAO) 3 July 1991	1,6-9, 13-18, 20-25
Y	see the whole document	
	& CA,A,2 032 587 cited in the application	2-4, 19, 26
Y	DE,A,2 805 967 (ARAL AUSTRIA GESELLSCHAFT) 16 August 1979 see the whole document	26
Y	EP,A,0 388 090 (THE LA RUE COMPANY) 19 September 1990 see the whole document	2-4, 19
	--- -/--	
<p>¹⁰ Special categories of cited documents : ¹⁰</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p>		
IV. CERTIFICATION		
Date of the Actual Completion of the International Search		Date of Mailing of this International Search Report
06 OCTOBER 1993		18. 10. 93
International Searching Authority		Signature of Authorized Officer
EUROPEAN PATENT OFFICE		MEULEMANS J.P.

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)		
Category °	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.
X	DE,A,2 323 076 (THE NATIONAL CASH REGISTER) 22 November 1973 see page 2, line 1 - page 7, line 1 ---	1,6,7,8, 15,18, 20,21,25
A	AU,A,488 652 (COMMONWEALTH SCIENTIFIC AND INDUSTRIAL RESEARCH ORGANISATION) 1 April 1976 cited in the application see claims 4,5 ---	1
X	EP,A,0 400 220 (AGFA-GEVAERT) 5 December 1990 see claims; example 2 ---	1,7,8, 14,18, 20,21
A	FR,A,2 365 657 (THE GOVERNOR AND COMPANY OF THE BANK OF ENGLAND) 21 April 1978 ---	26
A	PATENT ABSTRACTS OF JAPAN vol. 015, no. 318 (M-1146)14 August 1991 & JP,A,31 18 198 (TOPPAN PRINTING) 20 May 1991 see abstract ---	1
A	PATENT ABSTRACTS OF JAPAN vol. 016, no. 396 (P-1407)21 August 1992 & JP,A,41 30 412 (TOPPAN PRINTING CO) 1 May 1992 see abstract -----	1

**ANNEX TO THE INTERNATIONAL SEARCH REPORT
ON INTERNATIONAL PATENT APPLICATION NO.**

GB 9301386
SA 75991

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

06/10/93

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A-0435029	03-07-91	DE-A- 3942663 JP-A- 4144796	27-06-91 19-05-92
-----	-----	-----	-----
DE-A-2805967	16-08-79	None	
-----	-----	-----	-----
EP-A-0388090	19-09-90	None	
-----	-----	-----	-----
DE-A-2323076	22-11-73	CA-A- 1003205 GB-A- 1387389	11-01-77 19-03-75
-----	-----	-----	-----
AU-A-488652	01-04-76	None	
-----	-----	-----	-----
EP-A-0400220	05-12-90	JP-A- 3042295	22-02-91
-----	-----	-----	-----
FR-A-2365657	21-04-78	GB-A- 1552853 CH-A- 619894 DE-A,C 2743019 NL-A- 7710366 SE-B- 415214 SE-A- 7710682 US-A- 4186943	19-09-79 31-10-80 30-03-78 29-03-78 15-09-80 25-03-78 05-02-80
-----	-----	-----	-----